

AdVertys Kiosk

Datasheet

Welcome to oemKIOSKS



Touch...The Sky



AdVertys

Interactivity with dimension

The AdVertys model was designed for both indoor or outdoor applications.

This model can be manufactured in stainless steel or painted steel (available in all RAL colors) using steel plate of 1,5mm to 2,5mm which ensures the stability and rigidity of the all structure.

This Kiosk is designed specially for multimedia advertising purposes and support large displays (32" to 108")

The two sides of the kiosk are designed so that there is a great versatility.
Optional - 4 large advertising displays. (2 in each side)

This kiosk can also be equipped with touchscreen technology and Audience Measurement system.


The area where the PC will be installed has security locks, general switch and is easily detachable, leaving enough space for the installation and access to a minitower PC.

On the side of the monitor are two speakers and the kiosk has 2 independent systems of ventilation, one for the monitor and other for the PC.

The AdVertys is normally equipped with high-performance computer, with any range of CPU, 160 GB hdd or higher, 2 GB RAM, 10/100 Mb network card and any operating system (Windows, Linux, etc.), but is usually equipped Windows 7 Home or Professional Edition.


Technical Specifications AdVertys Kiosk

Dimensions: H2500 x W900 x D250
Weight: aprox. 200 Kg.



AdVertys

Distance comparison and main features



The dimensions of the kiosk may vary depending of the components used.

Type

☒ Indoor / Outdoor

Materials

☒ Painted Steel

☒ Stainless Steel

Options

☒ Large Displays 32" to 108"

☒ YdSignage Software



☒ Double Face Displays
(Touchscreen or TFT)

☒ Glass Protection



AdVertys

Kiosk measures



The dimensions of the kiosk may vary depending of the components used.



AdVertys

Technical data

Dimensions:

- 2x 46" Display (resolution: 1920x 1080 Pixel)
- H2500 W900 D250

Weight:

200 kg

Configuration:

- Interactivity with dimension
- Stainless steel AISI304 or painted steel (RAL Colors)
- Steel plate of 1,5mm to 2,5mm
- 46" display
- Integrated speakers

Optional:

- 32" to 108" display
- Atom or Dual Core PC computer
- Microsoft Windows 7 Professional
- Ykiosk software package
- Touchscreen (Infrared, optical, capacitive)
- Wireless networking - WLAN
- Bluetooth functionality
- Webcam
- 4 displays Integration (2 on each side)

• Other components can be integrated changing kiosk dimensions: ticket printer, coin validator, bill validator, card readers, antivandalic keyboard, proximity sensor, etc.

The dimensions of the kiosk may vary depending of the components used.



oemKIOSKS | Your white label kiosk company

This document is provided only for information purposes. The presented information is subject to change without prior notice, given the constant evolution of content.
THE PARTTEAM GROUP is not responsible for any errors or omissions in this document, based on the information it contains, as a result of its publication.



oemKIOSKS | Partteam Group Portugal | Rua Nova da Nespereira, Pavilhão 10 | 4770 -287 Lagoa - Vila Nova de Famalicão
tel: +351 252 378 589 | +351 252 327 185 | fax: + 351 252 378 591 | Portugal
www.oemkiosks.com | oem@oemkiosks.com